

# Megastud 160 TS

- Developed to meet the rigorous forestconditions.

- Provides excellent traction
- Offering all over tyre protection
- Designed to offer outstanding durability
  - Perfect fit to tyre



Links and U-studs are both pressure and mig welded together for maximum strength and wear resistance, providing aggressive grip and traction.



#### Megastud 160TS

- Crosschain 16mm
- U-stud
  19 mm
- Sidechain
  13 mm
- Tensionchain 9 mm
- Rust protected by darkblue chainpaint.

The right to make technical modifications is reserved.

### Superstud 160TS

- Provides excellent combination of traction and tyre protection.

### Superstud 160TS

Crosschain 16 mm

**U-stud** 19 mm

Ring 19 mm

Sidechain 13 mm

Tensionchain 9 mm

Rust protected by darkblue chainpaint



The design of the U-stud reinforce the horizontal links and provides excellent traction.



- The original model.

### Superstud 160

 Crosschain 16 mm


19 mm **U-stud** 

 Ring 19 mm

 Sidechain 13 mm

 Rust protected by darkblue chainpaint





### Superstud 130TS

- Provides excellent combination of traction and tyre protection.

#### Superstud 130TS

- Crosschain 13 mm
- U-stud 16 mm
- Ring 16 mm
- Sidechain
  11 mm
- Tensionchain
  9 mm
- Rust protected by darkblue chainpaint



## Superstud 130

- The original model.

#### Superstud 130

- Crosschain 13 mm
- U-stud 16 mm
- Ring 16 mm
- Sidechain
  11 mm
- Rust protected by darkblue chainpaint



The right to make technical modifications is reserved.

## Skogsgrip 130

- Excellent combination of selfcleaning pattern and traction.

#### Skogsgrip 130

- Crosschain 13 mm
- U-stud 16 mm
- Sidechain
  11 mm
- Rust protected by darkblue chainpaint



The design of the U-stud reinforce the horisontal links and provides excellent traction.





# Skogsgrip 160

- The heavier version of Skogsgrip 130.

#### Skogsgrip 160

- Crosschain 16 mm
- U-stud 19 mm
- Sidechain
  13 mm
- Rust protected by darkblue chainpaint



### Supergrip 130TS

 Designed for a combination of all terrain and roadtransport. Offering all over tyre protection. Reversible on tyre for longer life.

### Supergrip 130TS

- Crosschain 13 mm
- Ring 16 mm
- Sidechain
  11 mm
- Tensionchain
  9 mm
- Rust protected by darkblue chainpaint

# Supergrip 160TS

- The heavier version of Supergrip 130TS.

### Supergrip 160TS

- Crosschain 16 mm
- Ring 19 mm
- Sidechain 13 mm
- Tensionchain
  9 mm
- Rust protected by darkblue chainpaint





### SRB-LES 10

-Light tire chain, designed for small logging machines, especially for thinning work.

#### SRB-LES 10

Crosschain
 SR 10 mm

• U-stud 10 mm

Sidechain 8 mm

 Rust protected by darkblue chainpaint

### SR-LES 10

- Environmentel designed light tire chain, for small logging machines, especially for thinning work.

#### SR-LES 10

Crosschain
 SR 10 mm

Sidechain 8 mm

 Rust protected by darkblue chainpaint



The right to make technical modifications is reserved.

### Tensioning tool No. 2

An effective aid for the mounting of heavy nonskid chains. A heavy-duty tool with stepless locking. Released with a light blow on the lever.

- Special designed for mounting of heavy non-skid chains
- Tightening strength approx ca 70 kN
- Easy to remove
- Strong and durable
- Weight 5,5 kg/pce
- Finish: Red painted
- Box of corrugated cardboard and pallet box






# Disassembly Tool No.4 "The Clapper"

Our specially designed tool for disassembling the plug coupling No. 13 and 16. A heavy and difficult task becomes quick and easy with the "Clapper"

- Disassembly tool for plug coupling No. 13 and 16
- Easy to use in combination with a hammer
- Strong and durable
- Weight: 1,4 kg/pce
- Rubber protected bar handle
- Finish: PaintedPackage: Plastic bag

### Profile of Gunnebo non-skid chains



TYPE	Α	В
Megastud 160TS	83	57
Superstud 160TS/160	83	57
Superstud 130TS/130	65	50
Skogsgrip 130	65	50
Skogsgrip 160	83	57
Supergrip 130TS	44	50
Supergrip 160TS	54	57
SRB-LES 10	53	36
SR-LES 10	36	36

- A company within the GUNNEBO Group



Gunnebo Industrier AB, Chain & Non-Skid Division SE-590 93 Gunnebo, Sweden Phone +46 (0)490 89 000, Fax +46 (0)490 89 350 E-mail: info@gunnebolifting.com Distributor: